



# Environmental Product Declaration

according to ISO 14025



## Textile floor covering

- tufted surface pile 100% PP
- woven textile backing
- flame-proofed on the basis of aluminium hydroxide



Gemeinschaft umweltfreundlicher Teppichboden e.V.

Declaration number  
EPD-GUT-2010911-E

Institut Bauen und Umwelt e.V  
[www.bau-umwelt.com](http://www.bau-umwelt.com)



Institut Bauen  
und Umwelt e.V.



**Short version  
Environmental  
Product-Declaration**

<p><b>Institut Bauen und Umwelt e.V.</b> www.bau-umwelt.com</p>		<p style="text-align: center;"><b>Program operator</b></p>
<p><b>Gemeinschaft umweltfreundlicher Teppichboden (GUT) e.V.</b> Schönebergstr. 2; 52068 Aachen; mail@gut-ev.de www.gut-ev.org</p>		<p style="text-align: center;"><b>Owner of the declaration</b></p>
<p><b>EPD-GUT-2010911-E</b></p>		<p style="text-align: center;"><b>Number of the declaration</b></p>
<p><b>Textile floor covering with a tufted surface pile made of 100% polypropylene and a backing of textile fabrics, flame-proofed on the basis of aluminium hydroxide</b></p> <p>This declaration is an Environmental Product Declaration according to /ISO 14025/ and describes the environmental performance of the floor coverings indicated herein. It is designed to foster the development of ecological and healthy building. In this validated declaration, all relevant environmental data are disclosed. The declaration is based on the PCR document "Floor coverings", year 2008-01.</p>		<p style="text-align: center;"><b>Declared building product</b></p>
<p>This validated declaration authorises the use of the label of Institut Bauen und Umwelt. It is valid for a period of three years from the date of issue exclusively for the product group indicated and only in conjunction with a valid PRODIS licence. The contents and validity of the licence may be checked online via www.pro-dis.info. The owner of the declaration shall be liable for the underlying information and verifications.</p>		<p style="text-align: center;"><b>Validity</b></p>
<p>The declaration is complete and furnishes details of:</p> <ul style="list-style-type: none"> <li>- the product definition and relevant building-physics-related information</li> <li>- the raw materials and origin of the raw materials</li> <li>- the descriptions of the product manufacture</li> <li>- the information on product processing</li> <li>- the information on the use stage, extraordinary influences and end-of-life stage</li> <li>- the results of the life cycle assessment</li> </ul>		<p style="text-align: center;"><b>Contents of the declaration</b></p>
<p>30. April 2010</p>		<p style="text-align: center;"><b>Date of issue</b></p>
		<p style="text-align: center;"><b>Signatures</b></p>
<p>Prof. Dr.-Ing. Horst J. Bossenmayer (President of Institut Bauen und Umwelt)</p>		
<p>This declaration and the rules on which it is based have been examined in accordance with ISO 14025 /1/ by the independent Committee of Experts (CoE).</p>		<p style="text-align: center;"><b>Examination of the declaration</b></p>
		<p style="text-align: center;"><b>Signatures</b></p>
<p>Prof. Dr.-Ing. Hans-Wolf Reinhardt (Chairman of the CoE)</p>		<p style="text-align: center;">Dr. Eva Schmincke (CoE-appointed Examiner)</p>



**Short version  
Umwelt-  
Produktdeklaration  
Environmental  
Product-Declaration**

<p>The declaration covers a group of textile floor coverings having the following features:          Kind of manufacture: Tufted          Useful-layer material: 100 % polypropylene (PP) - fibres,          Back coating: Woven textile backing made of PP/PES, flame-proofed on the basis of aluminium hydroxide</p> <p>Subject to the weight of the surface pile, the textile floor covering is classified in accordance with luxury classes LC1 to LC5 (Table 1) defined in EN 1307.</p>		<b>Product description</b>										
<b>Table 1: Luxury classes</b>												
<b>Luxury class</b>	<b>LC 1</b>	<b>LC 2</b>	<b>LC 3</b>	<b>LC 4</b>	<b>LC 5</b>							
<b>Weight of surface pile [ g/m<sup>2</sup> ]</b>	< 400	≥ 400	≥ 600	≥ 800	≥ 1000							
<p>As indicated on the PRODIS label, the textile floor covering may be used either in the residential or in the commercial area.          Suitability for additional uses is also indicated on the PRODIS label.</p>		<b>Range of application</b>										
<p>The life cycle assessment was carried out according to /ISO 14040/ ff. following the requirements of the IBU guideline for type III declarations. The data reference consisted of specific data provided by GUT member companies and of data from the "GaBi 4" database.          The life cycle assessment covers</p> <ul style="list-style-type: none"> <li>- Part 1: Production stage including the supply chains (from cradle to factory gate),</li> <li>- Part 2: Delivery/installation, use</li> <li>- Part 3: End-of-life stage</li> </ul>		<b>Scope of the life cycle assessment</b>										
<p>The initial value for the relevant columns of the table of results is the luxury class of the textile floor covering (Table 1), which is indicated on the PRODIS label.</p>		<b>Result of the life cycle assessment</b>										
<b>Table 2: Results of the LCA for</b>		<b>Part 1 – Production stage</b>					<b>Part 2</b>	<b>Part 3 – End-of-life stage</b>				
<b>Categories evaluated</b>	<b>Unit per m<sup>2</sup></b>	<b>LC1</b>	<b>LC2</b>	<b>LC3</b>	<b>LC4</b>	<b>LC5</b>	For the values of the delivery/installation and use, see the long version; likewise for the underlying conditions	<b>LC1</b>	<b>LC2</b>	<b>LC3</b>	<b>LC4</b>	<b>LC5</b>
Primary energy not renewable	[MJ]	86.4	113.6	139.7	165.0	189.6		-18.5	-23.0	-26.9	-30.4	-33.5
Primary energy renewable	[MJ]	1.8	2.5	3.1	3.7	4.3		-0.3	-0.3	-0.4	-0.4	-0.5
Greenhouse potential (GWP 100)	[kg CO <sub>2</sub> -eqv.]	3.6	4.6	5.5	6.4	7.3		1.6	1.9	2.3	2.6	2.8
Ozone degradation potential (ODP)	[kg R11-eqv.]	2.9·10 <sup>-7</sup>	3.8·10 <sup>-7</sup>	4.7·10 <sup>-7</sup>	5.6·10 <sup>-7</sup>	6.4·10 <sup>-7</sup>		-5.2·10 <sup>-8</sup>	-6.4·10 <sup>-8</sup>	-7.5·10 <sup>-8</sup>	-8.5·10 <sup>-8</sup>	-9.3·10 <sup>-8</sup>
Acidification potential (AP)	[kg SO <sub>2</sub> -eqv.]	1.2·10 <sup>-2</sup>	1.5·10 <sup>-2</sup>	1.8·10 <sup>-2</sup>	2.2·10 <sup>-2</sup>	2.5·10 <sup>-2</sup>		1.7·10 <sup>-3</sup>	2.1·10 <sup>-3</sup>	2.5·10 <sup>-3</sup>	2.8·10 <sup>-3</sup>	3.1·10 <sup>-3</sup>
Nutrication (NP)	[kg PO <sub>4</sub> -eqv.]	1.5·10 <sup>-3</sup>	1.9·10 <sup>-3</sup>	2.3·10 <sup>-3</sup>	2.6·10 <sup>-3</sup>	2.9·10 <sup>-3</sup>		3.6·10 <sup>-4</sup>	4.5·10 <sup>-4</sup>	5.3·10 <sup>-4</sup>	6.0·10 <sup>-4</sup>	6.6·10 <sup>-4</sup>
Photochemical oxidant formation (POCP)	[kg ethene-eqv.]	1.8·10 <sup>-3</sup>	2.2·10 <sup>-3</sup>	2.6·10 <sup>-3</sup>	2.9·10 <sup>-3</sup>	3.3·10 <sup>-3</sup>		3.7·10 <sup>-5</sup>	4.6·10 <sup>-5</sup>	5.4·10 <sup>-5</sup>	6.1·10 <sup>-5</sup>	6.7·10 <sup>-5</sup>
<p>The results are based on the life cycle assessment for textile floor coverings conducted by <b>Gemeinschaft umweltfreundlicher Teppichboden (GUT) e.V.</b>, Aachen,          in cooperation with: <b>Textile and Flooring Institut GmbH</b>, Aachen,          critically reviewed by: <b>Prof. Dr. Walter Klöpffer</b>, Int. Journal of Life Cycle Assessment, LCA CONSULT &amp; REVIEW, Frankfurt a.M.,  <b>Dipl. Natw. ETH Roland Hischier</b>, Head of unit LCA, EMPA, St Gallen</p>												
<p>In addition, the following results of the tests are represented in the environmental declaration:</p>							<b>Verifications and tests</b>					
<b>VOC emissions</b>	GUT product testing criteria based AgBB scheme for the evaluation of emissions from building products,											
<b>Schadstoffprüfungen</b>	GUT product testing criteria											



Institut Bauen  
und Umwelt e.V.

**Publisher:**

Institut Bauen und Umwelt e.V.  
Rheinufer 108  
53639 Königswinter  
Tel.: 02223 296679-0  
Fax: 02223 296679-1  
E-Mail: [info@bau-umwelt.com](mailto:info@bau-umwelt.com)  
Internet: [www.bau-umwelt.com](http://www.bau-umwelt.com)

**Layout:**

Gemeinschaft umweltfreundlicher Teppichboden (GUT) e.V.

**Picture credits:**

Gemeinschaft umweltfreundlicher Teppichboden (GUT) e.V.  
Schönebergstr. 2;  
52068 Aachen;  
Tel: 0241 968 431  
Fax: 0241 968 434 00  
E-Mail: [mail@gut-ev.de](mailto:mail@gut-ev.de)  
Internet: [www.gut-ev.org](http://www.gut-ev.org)

In a case of doubt is the original EPD „EPD-GUT-2010911-D“ applicable.